


***HIV/AIDS in the Midwest
Region of the United
States***

August 2007

The Midwest Region of the United States

The Midwest Region*:

- Illinois
- Ohio
- Michigan
- Indiana
- Missouri
- Wisconsin
- Minnesota
- Iowa
- Kansas
- Nebraska
- South Dakota
- North Dakota



Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005


*This list is in order by the prevalence of HIV/AIDS in each state

Population Distribution by Region, 2005




Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

Population Distribution in the Midwest, 2005




Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

Percent Rural by Region, 2000




Source: U.S. Census Bureau, *Census 2000 Summary File 1*, 2007.

Percent Rural in Midwest, 2000




Source: U.S. Census Bureau, *Census 2000 Summary File 1*, 2007.

Regional Distribution of Reported Living Cases of HIV/AIDS, 2005




Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

Chlamydia Case Rates per 100,000 by Region, 2003




Source: Centers for Disease Control and Prevention, *Sexually Transmitted Disease Surveillance, 2003, 2004.*

Gonorrhea Case Rates per 100,000 by Region, 2003




Source: Centers for Disease Control and Prevention, *Sexually Transmitted Disease Surveillance, 2003, 2004*.

Percent Change in Estimated AIDS Incidence by Region, 1999-2003




Source: Centers for Disease Control and Prevention, *HIV/AIDS Surveillance Report*, Vol. 15, 2004.

Midwest Distribution of Reported Living Cases of HIV/AIDS, 2005



Source: Centers for Disease Control and Prevention, *HIV/AIDS Surveillance Report*, Vol. 17, 2005.

Number of Persons Estimated to be Living with HIV/AIDS at the End of 2003




Source: Calculations and methodology performed by AIDS Foundation of Chicago using Centers for Disease Control and Prevention, *HIV/AIDS Surveillance Report*, 2003.

Number of Persons Estimated to be Living with HIV/AIDS at the End of 2003, Table

	Low Estimate	Mid Estimate	High Estimate
Illinois	36,656	39,231	41,807
Ohio	16,853	18,037	19,221
Michigan	14,286	15,290	16,294
Indiana	9,434	10,097	10,760
Missouri	12,956	13,867	14,777
Wisconsin	4,728	5,060	5,392
Minnesota	4,863	5,204	5,546
Iowa	1,860	1,990	2,121
Kansas	2,878	3,080	3,282
Nebraska	1,527	1,635	1,742
South Dakota	270	289	308
North Dakota	146	156	166
United States	1,039,000	1,112,000	1,185,000


Source: Calculations and methodology performed by AIDS Foundation of Chicago using Centers for Disease Control and Prevention, *HIV/AIDS Surveillance Report*, 2003.

New HIV Cases Reported in in the Midwest, 2004 vs. 2005




Sources: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005; Illinois Department of Public Health, HIV/AIDS/STD Monthly Surveillance Update, December 2005.

Distribution of Reported Persons Living with AIDS, by Race/Ethnicity, 2005




Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

ADAP Financial Eligibility Criteria in the Midwest




Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

ADAP Formularies, 2005



Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

Percentage of People Reporting to Have Ever Received an HIV test in the Midwest, 2001



Source: The Henry J. Kaiser Family Foundation, State Health Facts Online, 2005

Conclusion

- Data compiled by the
AIDS Foundation of Chicago,
August 2007
- For more information, please go to
www.aidschicago.org